




TERRACOTTA WALL TILE

COLORS




Bianco Maiolica Craquelé




Bleu Nuit Craquelé




Cioccolato Craquelé




Giallo Senape Craquelé



Lago Intenso Craquelé



Lago Limpido Craquelé



Lago Velato Craquelé



Nero Laccato



Nuvola Intenso Craquelé



Oasi Intenso Craquelé



Oceano Velato Craquelé



Rena Intenso Craquelé



Rena Limpido Craquelé



Rio Velato Craquelé



Rosa Craquelé



Rosso Corallo Craquelé



Tortora Craquelé




Verde Oliva Craquelé



White Moon Craquelé



Cotto Cerato Opaco



Denim Silk



Grafite Silk




White Moon Silk



Argento Siderale Metallo



Bruno Dorato Metallo



Nero Lustrato Metallo Madreperla




Abisso Velato Craquelé



Amethyst Craquelé

AVAILABLE SIZE



8" x 12"
Thickness: 20mm

SPECIAL PIECES



4" x 12"
Thickness: 20mm



1.3" x 12"
Thickness: 20mm



1.3" x 8"
Thickness: 20mm



1.3" x 4"
Thickness: 20mm

FINISH

Colors available in finishes as shown.

TRIM

0.6" x 12" Quartino

INSTALLATION & MAINTENANCE

Recommended Grout Size - 3/16"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

It is recommended for raw body terracotta (Cotto Cerato) to be sealed with penetrative sealer. Follow sealer manufacturer instructions.

TECHNICAL DATA

	<p>WATER ABSORPTION</p> <p>> 10%</p> <p>ISO 10545-3</p>	<p>CHEMICAL RESISTANCE</p> <p>Glossy/Silk/Craquelé</p> <p>GA/GLB/GLC</p> <p>ISO 10545-13</p>	<p>STAIN RESISTANCE</p> <p>CLASSE 1-5</p> <p>ISO 10545-14</p>
--	--	--	---

