



LEGACY MARBLESTONE



COLORBODY PORCELAIN TILE

COLORS




White



Sand




Cream



Dove



Steel



Black

AVAILABLE DECOS



8" x 48"
White Spa



12" x 12"
White
Mosaic



12" x 12"
White
Domino Mosaic




8" x 48"
Dove Spa




12" x 12"
Dove
Mosaic




12" x 12"
Dove
Domino Mosaic



8" x 48"
Sand Spa




12" x 12"
Sand
Mosaic




12" x 12"
Sand
Domino Mosaic



8" x 48"
Steel Spa



12" x 12"
Steel
Mosaic




12" x 12"
Steel
Domino Mosaic




8" x 48"
Cream Spa




12" x 12"
Cream
Mosaic




12" x 12"
Cream
Domino Mosaic



8" x 48"
Black Spa



12" x 12"
Black
Mosaic



12" x 12"
Black
Domino Mosaic



CUT TO ORDER SIZES AVAILABLE


3" x 12", 12" x 12", 6" x 24", 24" x 24" & 12" x 48"
Thickness: 8mm-9mm

12" x 24" & 12" x 12" | Thickness: 20mm

Custom Trims and Mosaic are also available.
Contact your Sales Rep. for more information details.

LEGACY MARBLESTONE

AVAILABLE SIZES



24" x 24" Only Available as an Outdoor Paver in 20MM

FINISH

MATTE RECTIFIED

THICKNESS

9mm | 20mm

TRIM

3" X 24" Bullnose - 9mm
6" X 12" Cove Base - 8.5mm

INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA

	D.C.O.F. WET (MATTE) 9mm ≥ 0.42 20mm ≥ 0.60 ANSI 326.3	WATER ABSORPTION ≤ 0.5 % ASTM C373	CHEMICAL RESISTANCE UNAFFECTED ASTM C650	FROST RESISTANCE RESISTANT ASTM C1026	BREAKING STRENGTH 9mm ≥ 350 lbf. 20mm ≥ 2200 lbf. ASTM C648	STAIN RESISTANCE UNAFFECTED ASTM C1378
---	--	--	--	---	---	--

