



IRIS U.S. Corporate Office
1360 South Vernon St.
Anaheim, CA 92805

Customer Service
(800) 323-9906

WWW.IRISUS.COM



USIR1SRW18



MADE IN THE U.S.A.

RUNWAY

Runway

TORTORE Discontinued 4

DELIGHT Discontinued 14

FOG 28

ASH 40

BLANC 52

TECHNICAL INFORMATION 62

Runway

COLLECTION

The fabric look mixed with the grunge graphic style, makes **Runway** the best choice to create contemporary unique environment of the utmost character.

A modern style suitable for urban atmosphere with a fancy retro touch. Neutral colors range from the lighter shade of **Blanc** to the darker shade of **Tortore**, for livings that will leave a lasting impression.

Discontinued

TORTORE



WALL // TORTORE LAPPATO / 12" X 24"



ADD A RUSTIC TOUCH
TO YOUR CONTEMPORARY STYLE






WALL // TORTORE LAPPATO / 12" X 24"
FLOOR // TORTORE HONED / 18" X 36"



FLOOR // TORTORE HONED / 18" X 36"

Discontinued





WALL // TORTORE LAPPATO / 12" X 24"
FLOOR // DELIGHT HONED / 18" X 36"



WALL // TORTORE LAPPATO / 12" X 24"
FLOOR // DELIGHT HONED / 18" X 36"



LET'S CONTINUE OUR JOURNEY

FROM A COUNTRY RUSTIC TO A CONTEMPORARY URBAN STYLE






WALL // DELIGHT LAPPATO / 12" X 24"
FLOOR // DELIGHT HONED / 18" X 36"



WALL // DELIGHT LAPPATO / 12" X 24"
FLOOR // DELIGHT HONED / 18" X 36"



SOFT COLOR

BOLD STYLE










HOME

WALL // FOG HONED / 12" X 24"
FLOOR // FOG LAPPATO / 18" X 36"

ASH




WALL // ASH HONED / 12" X 24" / 1" X 2" MOSAIC





WALL // ASH HONED / 12" X 24" / 1" X 2" MOSAIC



LET'S TAKE OUR JOURNEY TO THE SEA

LIGHT AND SOFT SHADES OF ASH AND BLANC WILL BRING YOU COMFORT AND RELAXATION



FLOOR // ASH LAPPATO / 18" X 36"




BLANC



FLOOR // BLANC LAPPATO / 18" X 36"




WALL // BLANC HONED / 12" X 24"
FLOOR // BLANC LAPPATO / 18" X 36"



WALL // BLANC LAPPATO / 12" X 24"
FLOOR // FOG LAPPATO / 18" X 36"















TORTORE HONED 18" x 36" Discontinued 12" x 24" Discontinued	TORTORE LAPPATO 18" x 36" Discontinued 12" x 24" Discontinued	DELIGHT HONED 18" x 36" Discontinued 12" x 24" Discontinued	DELIGHT LAPPATO 18" x 36" Discontinued 12" x 24" Discontinued	FOG HONED 18" x 36" IRG1836159 12" x 24" IRG1224159	FOG LAPPATO 18" x 36" Discontinued 12" x 24" IRSP1224159	ASH HONED 18" x 36" IRG1836156 12" x 24" IRG1224156	ASH LAPPATO 18" x 36" Discontinued 12" x 24" IRSP1224156	BLANC HONED 18" x 36" IRG1836157 12" x 24" IRG1224157	BLANC LAPPATO *18" x 36" IRSP1836157 12" x 24" IRSP1224157
--	--	--	--	--	---	--	---	--	---

* Available to produce in Lappato finish for orders of 4,000 sf or more

TORTORE HONED MOSAIC 2" X 2" IRG12MO160	TORTORE HONED MOSAIC 1" X 2" IRG12MB1160	DELIGHT HONED MOSAIC 2" X 2" IRG12MO158	DELIGHT HONED MOSAIC 1" X 2" IRG12MB1158	FOG HONED MOSAIC 2" X 2" IRG12MO159	FOG HONED MOSAIC 1" X 2" IRG12MB1159	ASH HONED MOSAIC 2" X 2" IRG12MO156	ASH HONED MOSAIC 1" X 2" IRG12MB1156	BLANC HONED MOSAIC 2" X 2" IRG12MO157	BLANC HONED MOSAIC 1" X 2" IRG12MB1157
--	---	--	---	--	---	--	---	--	---



TRIMS

TORTORE Honed	IRG424BT160
DELIGHT Honed	IRG424BT158
FOG Honed	IRG424BT159
ASH Honed	IRG424BT156
BLANC Honed	IRG424BT157



BULLNOSE
4" x 24"



COVE BASE
6" x 12"

TORTORE Honed	IRG612C160
DELIGHT Honed	IRG612C158
FOG Honed	IRG612C159
ASH Honed	IRG612C156
BLANC Honed	IRG612C157



Iris U.S. Products are GREENGUARD Certified. The GREENGUARD Certification Program™ is internationally recognized for evaluating product emissions and certifying building materials, furnishings, finishes and cleaning products and processes that meet stringent indoor air quality criteria defined by GREENGUARD Environmental Institute (GEI). Products undergo rigorous, third-party testing to determine their impact on indoor air pollution with requirements for ongoing verification. The GREENGUARD Environmental Institute recently announced that all flooring products certified to the stringent GREENGUARD Children & Schools™ standard can earn valuable LEED™ credits across multiple building rating systems. Iris U.S. has more than 70 flooring products certified that can help earn up to four (4) points under the low-emitting material credit (EQ 4.3).

Runway Packaging

PRODUCT	SIZE <i>(inches)</i>	BOX/PIECES	BOX/SF	PALLET/BOXES	PALLET/SF	THICKNESS <i>(mm)</i>	WEIGHT LB/SF
Floor & Wall Tile	18 x 36	5	22.189	18	399.402	8	3.63
	12 x 24	8	15.751	32	504.032	8	3.55
							LB/PIECE
2 x 2 Mosaic	12 x 12	5	4.896	—	—	8	3.55
1 x 2 Mosaic	12 x 12	5	4.896	—	—	8	3.55
Bullnose	4 x 24	16	10.388	—	—	8	2.00
Cove Base	6 x 12	8	3.876	—	—	7.5	1.70

PHYSICAL PROPERTIES

TEST

INDUSTRY STANDARDS

IRIS US RESULTS
COLORED BODY

Water Absorbtion	ASTM C373	Impervious < 0.5%		≤ 0.1%
Calibrated (non rectified)	ASTM C499	• Range of Thickness (inch)	0.040	≤ 0.040
	ASTM C499	• Average Facial Dimension	± 0.50%	≤ ± 0.50%
	ASTM C485	• Warpage	± 0.40% on any edge	≤ ± 0.40%
	ASTM C485	• Warpage	± 0.40% on diagonal	≤ ± 0.40%
	ASTM C502	• Wedging	± 0.50%	≤ ± 0.50%
Rectified	ASTM C499	• Range of Thickness (inch)	0.040	≤ 0.040
	ASTM C499	• Average Facial Dimension	± 0.25%	≤ 0.25%
	ASTM C485	• Warpage	± 0.40% on any edge	≤ 0.40%
	ASTM C485	• Warpage	± 0.40% on diagonal	≤ 0.40%
	ASTM C502	• Wedging	± 0.25%	≤ 0.25%
Bond Strength	ASTM C482	≥ 50 psi		≥ 200 psi
Deep Abrasion	ASTM C1243	< 175 mm³		< 150 mm³
Visible Abrasion Resistance	ASTMC1027	No requirement, Range 0 – 5		Class 4
Hardness (Mohs)	Scratch Test (No regulated)	No requirement, Range 0 – 10		≥ 7
Frost Resistance (Freeze/Thaw)	ASTM C1026	No sample must show alterations to surface		No evidence of damage
Chemical Resistance	ASTM C650	No requirement, Range E – A		Class A
Stain Resistance	ASTMC1378	No requirement, Range E – A		Class A*
Breaking Strength	ASTM C648	250 lbf or greater		≥ 400 lbf
Coefficient of Friction (Dynamic)	DCOF Acutest SM (wet)	≥ 0.42*		≥ 0.48*

* All values given are for matte or honed material. No values are given for polished material. Iris U.S. does not recommend polished surfaces in area subject to exposure from grease, oil or water.

For level interior spaces to be walked upon when wet (see ANSI A137.1 section 6.2.2.1.10 – Section 9.6 for test procedure).

Data taken from a representative colored body collection. Individual product testing can be conducted by request.

COLOR SHADE VARIATIONS

As in nature, our products vary piece to piece. Please refer to the graph for variations.



Difference among the pieces from the same color is minimal



V1



Shade variance within the same color



V2



Significant shade variation within the same color



V3



Extreme shade variation, piece to piece, within the same color



V4

