



STP



multitudes

MULTI-LOOKS FOR MULTIFAMILY

V125



Specialty Tile's array of products and services transform multi-family and hotel units into spaces people want to stay in. We offer a broad selection of porcelain, ceramic & glass options that work within even the smallest budgets to make the maximum impact for your design. Many series are made in the USA or domestically stocked with efficient lead times.

Beautiful spaces need great resources.
We want to be yours.



PRICING REFLECTS QUANTITIES OVER 10,000 SQ FT

For additional images, product information, or to view the entire
STP Tile collection, visit our website at **STPTILE.COM**

For samples, please email your sales rep or **Samples@specialtytile.com**



CONTENTS

CONCRETE LOOK

LOCALE	6
SIMPLY MODERN	7
STREETS	8
FRESCO	9
CALM REPOSE	10
TERRESTRIAL	11

FABRIC LOOK

BELGIAN LINEN	12
---------------	----

MARBLE LOOK

LA MARCA	13
PLATA	14
LUMINO	15
ERA	16
GRAYSTONE	17
APOLLO	18
APUANO ORO	19
CLASSIC & CLASSIC 2.0	20

MULTI LOOK

SYNDICATE **21**

STONE LOOK

TORINO **22**

ARTIFACT **23**

AVENTO **24**

MAUNA LOA **25**

TERRACES **26**

SILK **27**

BASALTIC **28**

AMITY **29**

STREAMS **30**

ROCKDALE **31**

ROCHESTER **32**

TERRAZZO LOOK

STATION **33**

WOOD LOOK

SEDONA SPARK **34**

TIMBER **35**

WALL TILE

GEOMETRA **36**

TERAMODA **37**

LINEA **38**


SUSSEX **39**

SOHO **40**


PURITY **41**

MOOD **42**


ARTFACT **43**




LOCALE




Glacier



Stone



Forge



Carbon

Size: 12" x 24"

Finish: Matte Pressed

Thickness: 8.4 mm

PRICE PER SQ. FT

\$1.75

Recommended Grout: 3/16"

TECHNICAL DATA

V3 	D.C.O.F. (WET) ≥ 0.60 <small>ANSI A 137.1</small>	WATER ABSORPTION < 0.5% <small>ASTM C373</small>	CHEMICAL RESISTANCE CLASS A <small>ASTM C650</small>	FROST RESISTANCE PASS <small>ASTM C1026</small>	BREAKING STRENGTH > 350 <small>ASTM C648</small>	ABRASION RESISTANCE CLASS 4 <small>ASTM C1027</small>
---------------	---	---	--	---	---	---

SIMPLY MODERN


MADE IN THE
USA



Simply Creme



Simply Tan



Simply Grey



Simply Coffee



Simply Black

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Rectified

Thickness: 8 mm

Trim: 3" x 12" Bullnose
6" x 12" Cove Base

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.50

TECHNICAL DATA

V2 	D.C.O.F. WET ≥ 0.55 BOT 3000	WATER ABSORPTION ≤ 0.1% ASTM C373	CHEMICAL RESISTANCE CLASS A ASTM C650	FROST RESISTANCE NO DAMAGE ASTM C1026	BREAKING STRENGTH > 400 LBF ASTM C648	ABRASION RESISTANCE CLASS 4 ASTM C1027
---------------	--	---	---	---	--	--

STREETS

MADE IN THE
USA



White



Beige



Light Grey



Dark Grey

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.00

TECHNICAL DATA

V3

D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
≤ 0.5%
ASTM C373

CHEMICAL
RESISTANCE
NOT AFFECTED
ASTM C650

FROST
RESISTANCE
NOT AFFECTED
ASTM C1026

BREAKING
STRENGTH
≥ 300
ASTM C648

ABRASION
RESISTANCE
IV
ASTM C1027

FRESCO

MADE IN THE
USA




Titanium White



Storm Gray



Coventry Gray



Carbon Black



Taupe Gray



Cape Gray

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Rectified

Thickness: 8 mm

Trim: 3" x 24" Bullnose
6" x 12" Cove Base *(Special Order Only)*

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$3.00

TECHNICAL DATA



D.C.O.F. WET
≥ 0.42
ANSI A 137.1

WATER ABSORPTION
≤ 0.5%
ASTM C373

CHEMICAL RESISTANCE
CLASS A
ASTM C650

FROST RESISTANCE
RESISTANT
ASTM C1026

BREAKING STRENGTH
≥ 300
ASTM C648

ABRASION RESISTANCE
4
ASTM C1027

CALM REPOSE


MADE IN THE
USA



Pure Chamomile



Spiced Chai



Earl Grey



Mountain Rose

Size: 12" x 24" | 24" x 24"

Finish: Matte Rectified

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

12" x 24"

24" x 24"

\$3.00

\$3.12

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

BREAKING
STRENGTH
> 275 lbs.
ASTM C648

SCRATCH
HARDNESS
8.0
MOHS

TERRESTRIAL


MADE IN THE
USA



White



Clay



Steel



Black

Size: 12" x 24" | 24" x 24" | 2" x 2" Mosaic
Finish: Matte Pressed
Thickness: 8 mm
Recommended Grout: 3/16"

PRICE PER SQ. FT
\$2.25

TECHNICAL DATA

	<p>D.C.O.F. WET</p> <p>≥ 0.42</p> <p>ANSI A 137.1</p>	<p>WATER ABSORPTION</p> <p>≤ 0.4%</p> <p>ASTM C373</p>	<p>CHEMICAL RESISTANCE</p> <p>NOT AFFECTED</p> <p>ASTM C650</p>	<p>FROST RESISTANCE</p> <p>RESISTANT</p> <p>ASTM C1026</p>	<p>BREAKING STRENGTH</p> <p>≥ 300 lbf</p> <p>ASTM C648</p>	<p>STAIN RESISTANCE</p> <p>NOT AFFECTED</p> <p>ASTM C1378</p>
---	--	---	--	---	---	--

BELGIAN LINEN



Ivory



Natural



Fog



Mist



Mica

Size: 12" x 24" | 2" x 2" Basketweave Mosaic

Finish: Matte Rectified

Thickness: 9 mm

Trim: 3" x 12" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$3.00


TECHNICAL DATA

<div>V1</div> <div> </div>	<div>DCOF WET</div> <div>≥ 0.50</div> <div>ANSI B 101.3</div>	<div>WATER ABSORPTION</div> <div>≤ 0.5%</div> <div>ISO 10545-3</div>	<div>CHEMICAL RESISTANCE</div> <div>CLASS A</div> <div>ISO 10545-13</div>	<div>FROST RESISTANCE</div> <div>RESISTANT</div> <div>ISO 10545-12</div>	<div>BREAKING STRENGTH</div> <div>≥ 350 LBF</div> <div>ISO 10545-4</div>	<div>DEEP ABRASION</div> <div>145 mm³</div> <div>ISO 10545-7</div>
----------------------------	---	--	---	--	--	---

LA MARCA




Nero Venato



Arabescato




Calacatta Paonazzo




Statuarietto




Paradiso Argento



Carrara Gioia



Onyx Nuvolato



Statuario Nuovo



Travertino Instrata

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Polished & Matte Rectified

Thickness: 8.4 mm

Trim: 3" x 12" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$3.50

TECHNICAL DATA



D.C.O.F.
WET
Polished < 0.42
Honed ≥ 0.50
ANSI B 101.3

WATER
ABSORPTION
≤ 0.5%
ISO 10545-3

CHEMICAL
RESISTANCE
CL. A-RES
ISO 10545-13

FROST
RESISTANCE
RESISTANT
ISO 10545-12


BREAKING
STRENGTH
≥ 360 LBF
ISO 10545-4

ABRASION
RESISTANCE
4
ISO 10545-7


PLATA




Statuario Brina



Perla Grigia



Onyx Crystallo



Carrara Abisso

Size: 12" x 24" | 2" Hexagon Mosaic

Finish: Polished & Matte Rectified

Thickness: 8.5 mm


Trim: 3" x 12" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$2.75

TECHNICAL DATA



D.C.O.F.
WET (MATTE)
≥ 0.50
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ISO 10545-3


CHEMICAL
RESISTANCE
CLASS A
ISO 10545-13

FROST
RESISTANCE
PASS
ISO 10545-12

BREAKING
STRENGTH
> 1600 N
ISO 10545-4

ABRASION
RESISTANCE
CLASS 4
ISO 10545-6

LUMINO



Onyx




Bianco




Statuario



Calacatta




Ivory



Dune



Grigio



Carbon

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed | Heritage Texture

Thickness: 8.4 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA

V3

D.C.O.F.
WET

≥ 0.60

ANSI A 137.1

WATER
ABSORPTION

< 0.5%

ASTM C373

CHEMICAL
RESISTANCE

CLASS A

ASTM C650

FROST
RESISTANCE

PASS

ASTM C1026

BREAKING
STRENGTH

> 350

ASTM C648


ABRASION
RESISTANCE

CLASS 4


ASTM C1027

ERA

MADE IN THE
USA



Stone Gray-*Ceramic Tile*



Concrete Gray-*Porcelain Tile*



Timeless-*Porcelain Tile*



Calacatta-*Porcelain Tile*

Size: 12" x 24"

Finish: Matte Pressed

Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT


\$2.00

TECHNICAL DATA


V3-V4 	D.C.O.F. WET ≥ 0.42 ANSI A 137.1	WATER ABSORPTION < 7% - CERAMIC < 5% - PORCELAIN ASTM C373	CHEMICAL RESISTANCE RESISTANT ASTM C650	BREAKING STRENGTH > 250 LBS ASTM C1026	SCRATCH HARDNESS ≥ 7 MOHS
------------------	--	--	---	---	---

GRAYSTONE


MADE IN THE
USA



White



Silver



Dark

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm


Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT


\$1.75

TECHNICAL DATA


V2 	D.C.O.F. WET ≥ 0.42 <small>ANSI A 137.1</small>	WATER ABSORPTION < 0.5% <small>ASTM C373</small>	CHEMICAL RESISTANCE UNAFFECTED <small>ASTM C650</small>	FROST RESISTANCE NO DAMAGES <small>ASTM C1026</small>	BREAKING STRENGTH ≥ 400 lbs <small>ASTM C648</small>	MOHS HARDNESS 6 <small>MOHS</small>
--	---	---	---	---	--	---

APOLLO


MADE IN THE
USA



Calacatta Gold



Alaska Glacier



Renoir

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.00

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
≤ 0.5%
ASTM C373

CHEMICAL
RESISTANCE
NOT AFFECTED
ASTM C650

FROST
RESISTANCE
NO DAMAGE
ASTM C1026

BREAKING
STRENGTH
≥ 300
ASTM C648

ABRASION
RESISTANCE
IV
ASTM C1027

APUANO ORO

MADE IN THE
USA



Apuano Oro

Size: 12" x 24" | 2" x 2" Mosaic
Size: 4" x 16" (Glossy & Matte Ceramic)
Finish: Matte Rectified
Thickness: 8 mm
Trim: 3" x 12" Bullnose
Recommended Grout: 1/8"

PRICE PER SQ. FT

12" x 24"

4" x 16"


\$2.75 **\$3.00**

TECHNICAL DATA

<div>V3</div> <div></div>	<div>D.C.O.F. WET</div> <div>≥ 0.42</div> <div>ANSI A 137.1</div>	<div>WATER ABSORPTION</div> <div>≤ 0.5%</div> <div>ASTM C373</div>	<div>CHEMICAL RESISTANCE</div> <div>CLASS A</div> <div>ASTM C650</div>	<div>FROST RESISTANCE</div> <div>RESISTANT</div> <div>ASTM C1026</div>	<div>BREAKING STRENGTH</div> <div>> 275 lbF</div> <div>ASTM C648</div>	<div>ABRASION RESISTANCE</div> <div>CLASS III</div> <div>ASTM C1027</div>
---------------------------	---	--	--	--	---	---

CLASSIC & CLASSIC 2.0


MADE IN THE
USA




Statuarietto (Classic)



Cremino (Classic)



Calacatta Oro (Classic2.0)



Bianco Carrara (Classic2.0)

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 12" Bullnose
6" x 12" Cove Base

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.50

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
BOT 3000

WATER
ABSORPTION
≤ 0.1%
ASTM C373

CHEMICAL
RESISTANCE
CLASS A
ASTM C650

FROST
RESISTANCE
RESISTANT
ASTM C1026

BREAKING
STRENGTH
≥ 400 LBF
ASTM C648

ABRASION
RESISTANCE
4
ASTM C1027

SYNDICATE

MADE IN THE
USA



Light



Gray




Odyssey




White




Taupe




Road White



Road Ivory



Road Gray



Road Black

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.00

TECHNICAL DATA



DCOF
WET
≥ 0.42
ANSI B 101.3

WATER
ABSORPTION
≤ 0.5%
ASTM C373


CHEMICAL
RESISTANCE
UNAFFECTED
ASTM C650

FROST
RESISTANCE
RESISTANT
ASTM C1026


BREAKING
STRENGTH
≥ 250 LBF
ASTM C648

ABRASION
RESISTANCE
IV
ASTM C1027


TORINO




Avorio



Grigio



Vanizio



Argento


Size: 12" x 24" | 2" x 2" Mosaic
Finish: Matte Pressed
Thickness: 8.5 mm
Trim: 3" x 12" Bullnose
Recommended Grout: 3/16"

PRICE PER SQ. FT
\$2.25


TECHNICAL DATA

V3 	D.C.O.F. WET ≥ 0.65 <small>ANSI A 137.1</small>	WATER ABSORPTION < 0.5% <small>ASTM C373</small>	CHEMICAL RESISTANCE CLASS A <small>ASTM C650</small>	FROST RESISTANCE PASS <small>ASTM C1026</small>	BREAKING STRENGTH ≥ 300 LBF <small>ASTM C648</small>	ABRASION RESISTANCE CLASS 4 <small>ASTM C1027</small>
---------------	---	---	--	---	--	---


ARTIFACT




Dawn



Fog



Sienna



Umber

Size: 12" x 24"

Finish: Matte Pressed


Thickness: 8.4 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.65
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373

CHEMICAL
RESISTANCE
CLASS A
ASTM C650

FROST
RESISTANCE
PASS
ASTM C1026

BREAKING
STRENGTH
> 350
ASTM C648

ABRASION
RESISTANCE
CLASS 4
ASTM C1027

AVENTO

MADE IN THE
USA



Ivory



Gray

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Rectified

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$1.50

TECHNICAL DATA

<div>V2</div> <div></div>	<div>D.C.O.F. WET</div> <div>≥ 0.42</div> <div>ANSI A 137.1</div>	<div>WATER ABSORPTION</div> <div>≤ 0.5%</div> <div>ASTM C373</div>	<div>CHEMICAL RESISTANCE</div> <div>RESISTANT</div> <div>ASTM C650</div>	<div>BREAKING STRENGTH</div> <div>> 275 LBS</div> <div>ASTM C1026</div>	<div>ABRASION RESISTANCE</div> <div>4</div> <div>ASTM C1027</div>
---------------------------	---	--	--	--	---

MAUNA LOA

MADE IN THE
USA



Light



Dark

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm


Trim: 3" x 12" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.00

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 7.0%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

BREAKING
STRENGTH
> 250 LBS
ASTM C648

SCRATCH
HARDNESS
7
MOHS

TERRACES

MADE IN THE
USA



Venetian White



Torino Grey



Roman Beige



Tuscan Charcoal

Size: 12" x 24"
Finish: Matte Rectified
Thickness: 8 mm
Recommended Grout: 1/8"

PRICE PER SQ. FT
\$2.25

TECHNICAL DATA

V3 	D.C.O.F. WET ≥ 0.42 <small>ANSI A 137.1</small>	WATER ABSORPTION < 0.5% <small>ASTM C373</small>	CHEMICAL RESISTANCE RESISTANT <small>ASTM C650</small>	BREAKING STRENGTH > 275 LBS <small>ASTM C1026</small>	SCRATCH HARDNESS 8 <small>MOHS</small>
---------------	--	--	---	---	---

SILK

MADE IN THE
USA



Cloud



Light



Cream

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT


\$1.75

TECHNICAL DATA


<div>V2</div> <div></div>	<div>D.C.O.F. WET</div> <div>≥ 0.42</div> <div>ANSI A 137.1</div>	<div>WATER ABSORPTION</div> <div>< 0.5%</div> <div>ASTM C373</div>	<div>CHEMICAL RESISTANCE</div> <div>UNAFFECTED</div> <div>ASTM C650</div>	<div>FROST RESISTANCE</div> <div>NO DAMAGES</div> <div>ASTM C1026</div>	<div>BREAKING STRENGTH</div> <div>≥ 400 lbs</div> <div>ASTM C648</div>	<div>MOHS HARDNESS</div> <div>6</div> <div>MOHS</div>
---------------------------	---	---	---	---	--	---

BASALTIC

MADE IN THE
USA



White



Light Grey



Dark Grey

Size: 12" x 24" | 2" x 2" Mosaic | 1" x 3" Mosaic

Finish: Matte Pressed


Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.00

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373

CHEMICAL
RESISTANCE
UNAFFECTED
ASTM C650

FROST
RESISTANCE
NO DAMAGES
ASTM C1026

BREAKING
STRENGTH
≥ 300 lbs
ASTM C648

STAIN
RESISTANCE
NOT AFFECTED
ASTM C1378

AMITY

MADE IN THE
USA



White



Gray

Size: 12" x 24"

Finish: Matte Pressed

Thickness: 8 mm


Trim: 3" x 12" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA



D.C.O.F.
WET
> 0.42
ANSI A 137.1

WATER
ABSORPTION
≤ 0.5%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

FROST
RESISTANCE
RESISTANT
ASTM C1026

BREAKING
STRENGTH
> 275 lbf
ASTM C648

ABRASION
RESISTANCE
PEI IV
ASTM C1027

STREAMS

MADE IN THE
USA



White



Light Gray



Beige

Size: 12" x 24" | 1.5" Hexagon Mosaic

Finish: Matte Pressed

Thickness: 8 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA

<div>V3</div> <div></div>	<div>D.C.O.F. WET</div> <div>≥ 0.42</div> <div>BOT 3000</div>	<div>WATER ABSORPTION</div> <div>< 0.5%</div> <div>ASTM C373</div>	<div>CHEMICAL RESISTANCE</div> <div>RESISTANT</div> <div>ASTM C650</div>	<div>BREAKING STRENGTH</div> <div>> 275 LBS</div> <div>ASTM C648</div>	<div>ABRASION RESISTANCE</div> <div>CLASS 4</div> <div>ASTM C1027</div>
---------------------------	---	---	--	---	---

ROCKDALE

MADE IN THE
USA



Off White



Beige

Size: 12" x 24"

Finish: Matte Pressed


Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

BREAKING
STRENGTH
> 275 lbf
ASTM C648

SCRATCH
HARDNESS
8.0
MOHS

ROCHESTER


MADE IN THE
USA



Beige



Gray



White

Size: 12" x 24" | 1.5" Hexagon Mosaic

Finish: Matte Rectified

Thickness: 8 mm

Trim: 3" x 12" Bullnose

Recommended Grout: 1/8"


PRICE PER SQ. FT

\$2.00

TECHNICAL DATA

<div>V2</div> <div></div>	<div>D.C.O.F. WET</div> <div>≥ 0.42</div> <div>ANSI A137.1</div>	<div>WATER ABSORPTION</div> <div>< 0.5%</div> <div>ASTM C373</div>	<div>CHEMICAL RESISTANCE</div> <div>RESISTANT</div> <div>ASTM C650</div>	<div>BREAKING STRENGTH</div> <div>> 275 LBS</div> <div>ASTM C648</div>	<div>SCRATCH HARDNESS</div> <div>8.0</div> <div>MOHS</div>
---------------------------	--	---	--	---	--

STATION




Ivory



Ash



Pearl



Shadow

Size: 12" x 24" | 2" x 2" Mosaic

Finish: Matte Rectified

Thickness: 8.4 mm

Trim: 3" x 24" Bullnose

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$2.75

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.50
ANSI B 101.3

WATER
ABSORPTION
≤ 0.5%
ISO 10545-3

CHEMICAL
RESISTANCE
CLASS A
ISO 10545-13

FROST
RESISTANCE
RESISTANT
ISO 10545-12

BREAKING
STRENGTH
≥ 360
ISO 10545-4

ABRASION
RESISTANCE
PEI 4
ISO 10545-7

SEDONA SPARK



Copper Canyon



Mojave Mist



Saffron Sands

Size: 6" x 36"

Finish: Matte Pressed


Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.50

TECHNICAL DATA



DCOF
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

BREAKING
STRENGTH
> 275 lbs
ASTM C648

MOHS
HARDNESS
8
MOHS

TIMBER



Honey



Nutmeg



Ebony

Size: 8" x 40"

Finish: Matte Pressed

Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.50

TECHNICAL DATA



DCOF
WET
≥ 0.42
ANSI A 137.1

WATER
ABSORPTION
< 0.5%
ASTM C373


CHEMICAL
RESISTANCE
UNAFFECTED
ASTM C650

FROST
RESISTANCE
NO DAMAGES
ASTM C1026


BREAKING
STRENGTH
≥ 400 lbs.
ASTM C648

MOHS
HARDNESS
6
MOHS

GEOMETRA




Powder Maze




Powder Divide



Powder Ivy




Silver Maze



Silver Divide



Silver Ivy




Stone Maze



Stone Divide



Stone Ivy




Charcoal Maze




Charcoal Divide



Charcoal Ivy



Emerald Maze




Emerald Divide



Emerald Ivy



Ink Maze



Ink Divide



Ink Ivy

Size: 3" x 12" (Maze, Divide & Ivy includes 6 different faces.)

Finish: Glossy Pressed

Thickness: 8.8 mm

Trim: 12" Quarter Round

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$2.50

TECHNICAL DATA



WATER
ABSORPTION
10% ≤ E
ISO 10545-3


CHEMICAL
RESISTANCE
CLASS B
ISO 10545-13

FROST
RESISTANCE
**NOT
RESISTANT**
ISO 10545-12

BREAKING
STRENGTH
> 1000
ISO 10545-4

ABRASION
RESISTANCE
CLASS 0
ISO 10545-7

TERAMODA



Size: 3" x 12" | 6" Hexagon

Finish: Glossy Rectified

Thickness: 9 mm

Trim: 12" Quarter Round

Recommended Grout: 3/16"

PRICE PER SQ. FT

3" x 12"

6" Hexagon


\$3.50

\$4.00

TECHNICAL DATA

V2 	WATER ABSORPTION 10% - 18% <small>ISO 10545-3</small>	CHEMICAL RESISTANCE CLASS B <small>ISO 10545-13</small>	FROST RESISTANCE NOT RESISTANT <small>ISO 10545-12</small>	BREAKING STRENGTH > 1000 N <small>ISO 10545-4</small>	SCRATCH RESISTANCE 2 <small>MOHS</small>
--	---	---	--	--	--

LINEA



Plane




Modulation



Oblique



Prismatic



Amplitude

Size: 12" x 24"

Finish: Glossy & Matte Rectified (*Plane ONLY*)

Thickness: 9 mm


Trim: 12" Quarter Round

Recommended Grout: 1/8"

PRICE PER SQ. FT

\$2.75

TECHNICAL DATA




WATER
ABSORPTION
10% - 16%
ASTM C373

CHEMICAL
RESISTANCE
CLASS B
ASTM C650


BREAKING
STRENGTH
> 230 LBF
ASTM C648

ABRASION
RESISTANCE
CLASS 0
ASTM C1027


SUSSEX




Jet Black




Symphony Blue




Wisdom Grey




Essential Grey




Dew




Studio Beige




Pure




Cashmere




Ambition



Balance



Aqua



Nimbus

Size: 6" x 24" | 3" x 12"

Finish: Glossy Wall Tile

Thickness: 8 mm

Trim: 6" x 24" Wall Bullnose

Recommended Grout: 3/16"

PRICE PER SQ. FT

6" x 24"

3" x 12"

\$3.00

\$4.75

TECHNICAL DATA



WATER ABSORPTION
≤ 0.4%
ASTM C373

CHEMICAL RESISTANCE
NOT AFFECTED
ASTM C650

FROST RESISTANCE
RESISTANT
ASTM C1026

BREAKING STRENGTH
≥ 300 LBF
ASTM C648

STAIN RESISTANCE
NOT AFFECTED
ASTM C1378

SOHO



Retro Black



Cement Chic



Cloud Blue




Soft Sage




Loft Grey




Halo Grey



Gallery Grey



Vintage Grey



Canvas White

Size: 4" x 16" | 2" Hexagon Mosaic | 3/4" Penny Round

Finish: Polished & Matte Rectified

Thickness: 7 mm - 8 mm

Trim: 2" x 8" Bullnose

Recommended Grout: 1/6"

PRICE PER SQ. FT

\$2.50

TECHNICAL DATA



WATER
ABSORPTION
18-P4
ANSI/ISO-(%)


CHEMICAL
RESISTANCE
CLASS B
ISO 10545-13

FROST
RESISTANCE
PASS
ISO 10545-12


BREAKING
STRENGTH
> 240 LBF
ISO 10545-4

SCRATCH
RESISTANCE
2
MOHS


PURITY



Ice



Ivory



Breeze

Size: 4" x 16" | 3" x 12" | 3" x 6"

Finish: Glossy & Matte Pressed

Thickness: 7.8mm (4" x 16" & 3" x 12") | 7mm (3" x 12")


Trim: 2" x 6" & 2" x 8" Bullnose | 6" x 6" Cove Base

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.50

TECHNICAL DATA



WATER
ABSORPTION
10%
ISO 10545-3

CHEMICAL
RESISTANCE
CLASS A
ISO 10545-13


BREAKING
STRENGTH
> 570
ISO 10545-4

ABRASION
RESISTANCE
CLASS 0
ISO 10545-6

MOOD



White



Taupe



Gray

Size: 3" x 12"

Finish: Glossy Wall Tile


Thickness: 8 mm

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$3.50

TECHNICAL DATA




WATER
ABSORPTION
< 20%
ASTM C373

CHEMICAL
RESISTANCE
RESISTANT
ASTM C650

BREAKING
STRENGTH
120-130 lbs.
ASTM C648

SCRATCH
RESISTANCE
4.0 - 6.0
MOHS

ARTFACT



Off White



Marsala



Leaf



Indigo



Fog



Fendi



Carbon



Straw



Off White Deco



Marsala Deco



Leaf Deco



Indigo Deco



Fog Deco



Fendi Deco



Carbon Deco



Straw Deco

Size: 2.5" x 9" | 6" x 6" *(Size ONLY Available in Deco)*


Finish: Glossy Pressed

Recommended Grout: 3/16"

PRICE PER SQ. FT

\$1.75

TECHNICAL DATA





WWW.STPTILE.COM