



HIVE



COLORS



Ivory



Hexagon



Hexagon Frame



Sand




Hexagon



Hexagon Frame



Ice



Hexagon



Hexagon Frame




Tide



Hexagon



Hexagon Frame



Graphite




Hexagon




Hexagon Frame


DECO



Monochrome Geo




Monochrome
Stellar Deco




Monochrome
Lotus




Sand Diamond




Ice Diamond




Tide Diamond



Sand Zenith



Ice Zenith



Tide Zenith



Sand Compass



Ice Compass




Tide Compass



Sand Northstar



Ice Northstar



Tide Northstar



Sand Clover



Ice Clover




Tide Clover



Sand Baroque





Ice Baroque



Tide Baroque

AVAILABLE SIZES



FINISH

MATTE PRESSED

THICKNESS

9 mm

TRIM

2" x 8" Bullnose

INSTALLATION & MAINTENANCE

Recommended Grout Size - 3/16"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA



D.C.O.F.
WET
≥ 0.55
ANSI B 101.3

WATER
ABSORPTION
≤ 0.5%
ISO 10545-3

CHEMICAL
RESISTANCE
RESISTANT
ISO 10545-13

FROST
RESISTANCE
RESISTANT
ISO 10545-12

BREAKING
STRENGTH
≥ 310 N
ISO 10545-4

ABRASION
RESISTANCE
4
ISO 10545-7



