



SPECIALTY TILE
PRODUCTS, INC.



Q U A R R Y T I L E



V2 -




V3

QUARRY - STOCKED ITEM (S)



Canyon Red

(S)




Ember Flash



Fawn Gray

(S)



Gray Flash



SPECIALTY TILE
PRODUCTS, INC.



QUARRY TILE




V2 -




V3

QUARRY - STOCKED ITEM (S)


AVAILABLE SIZES



6" x 6" (S)



4" x 8"



Bullnose
6" x 6"



Bullnose Corner
6" x 6"



Cove Base
Outcorner
5" x 1"



Cove Base
5" x 6"



Cove Base
Incorner
5" x 1"



Cove Base Long
Corner
5" x 6"

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	ASTM#
C.O.F. Dry	≥ 0.6	C1028
C.O.F. Wet	≥ 0.8	C1028
Water Absorption	$< 3\%$	ISO 10545-3
Chemical Resistance	Resistant	ISO 10545-13
Frost Resistance		ISO 10545-12
Flectural Strength	< 350 lbs.	ISO 10545-4
Abrasion Resistance	N/A	ISO 10545-7



SPECIALTY TILE
PRODUCTS, INC.



Q U A R R Y T I L E



V2



V3

QUARRY - STOCKED ITEM (S)



FOR SERVICE OR SAMPLES CALL 1-800-536-9224 OR EMAIL SAMPLES@SPECIALTYTILE.COM